



Friction Feeder

Product Data

Track and Trace Serialization Line FEATURING MFT 350 ip³



Sample Data Matrix Barcode



Œ

Track and Trace Serialization Line

Turnkey product handling, serialization coding/printing, inspection and reject system providing a trackable data file.

Features

- Mechanical design is modular for custom configurations to meet your product needs
- Highly adaptable software package ensures for flexible and precise controls
- Infrared sensor allows for accurate count using doubledetect and overlap detection
- Single-sided controls provide for efficient operation
- Easy and versatile to interface using standard industry compliant connectors
- Performance designed for long production runs

Industries:

 Pharmaceutical Cosmetics Financial Robotics Food Packaging Printing

Common equipment that the feeder can be integrated into:

- Imaging lines Conveyers
- Poly-baggers
 Order fulfillment • Shrinkwrappers • Folder/Gluer
 - Case-packers Collators

Banders

• Existing bases • Flow Wrappers • Cartoners

Applications

- Insertion into a catch-tray, box or conveyor
- Deliver a product to a secondary application
- Batching, high speed tipping or affixing, collating systems and barcode/vision systems

Technical Data: MFT 350 ip³

Equipment Specifications

Typical Height	856mm (31.7")
Typical Length (ED)	645mm (25.4")
Typical Width	537mm (21.1")
Maximum Belt Speed	140 Meters per Minute*
Power Requirements	110/220V 50-60Hz 6A
Operating Temp.	10°-35°C (50°-95°F)
Weight Ranges	75-125 lbs.
Operating Humidity	30-90

Product Specifications

Minimum Size	25mm† (W) x 25mm (L)
Maximum Size*	300mm (W) x 325mm (L)‡
Minimum Thickness	0.075mm (.003")
Maximum Thickness	25mm
† Minimum product length may require narrow belt configuration.	
‡ Maximum Product Length is dependent on product, equipment configuration and application.	
your specific production require	quipment can be designed to meet ments. Please contact one of our sers to discuss many solution options

Product examples to deliver through feeder:

- Bags
- Pouches
- Pamphlets
- Card Stock Products
- Clear-Film Plastics- Coupons
 - Magnets

· Gift Cards

Bandages

- Carton Blanks
 Tyvek[®] Sheets
- Pharma Inserts
- And more

Standard Dimensional Drawing





Discharge options:

	· · · · · ·		
	Length Type	Length in millimeters	
	ED	200 mm	
	XED	375 mm	
	XLD	600 mm	
rs. 0]	SLD	900 mm	



Multifeeder Technology provides high performance friction feeding and labeling system solutions throughout the world. With state-of-the-art computer technology, our products feed more quickly and accurately to provide customers with a greater value of return. All feeders and accessories can easily be integrated with other machines to provide a total system solution for any application.

Dimensions are in Millimete

Inches are in brackets, [00.0



www.multifeeder.com

© 2016 Multifeeder Technology



Our dedicated team of experienced Technicians and Application Engineers have the proper training and necessary credentials to answer any questions and offer system solution recommendations for your project needs. Contact us at: (651) 407-3100 ext 123

Multifeeder Technology® 4821 White Bear Parkway St. Paul, MN 55110 Phone: 651-407-3100 Fax: (651) 407-3199 marketing@multifeeder.com 10/2016 #047